

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S193	93	shape with adaptive with transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 13:10
S192	72	shape with adaptive with dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 13:10
S194	20	shape with adaptive with transform and (pattern or texture) and inverse with transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 13:11
S195	6	shape with adaptive with transform and (pattern or texture) and inverse with transform with shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 13:15
S196	2	"5422963".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 13:37
S197	20	shape with adaptive with transform and (pattern or texture) and inverse with transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 13:59
S199	12	(pattern or texture) with adapt\$6 with transform\$5 and shaped with arbitrar \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:10
S198	621	(pattern or texture) with adapt\$6 with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:10

S201	2	(pattern or texture) near2 adapt\$6 with transform\$5 with shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:13
S200	1	(pattern or texture) near2 adapt\$6 with transform\$5 and shaped with arbitrar \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:13
S202	6	(pattern or texture) near2 adapt\$6 with transform\$5 and shape with transform	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:14
S204	22	(pattern or texture) near2 adapt\$6 near5 transform\$5 and shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:15
S203	47	(pattern or texture) near2 adapt\$6 with transform\$5 and shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:15
S207	1	(pattern or texture) near2 adapt\$6 near5 transform\$5 same dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:21
S206	0	(pattern or texture) near2 adapt\$6 near5 transform\$5 with dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:21
S205	44	(pattern or texture) near2 adapt\$6 near5 transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:21
S208	10	(pattern or texture) near2 adapt\$6 near5 transform\$5 and dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:22
S211	22	(pattern or texture) with dct with shape with adapt\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:23

S210	104	(pattern or texture) with dct with shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:23
S209	1665	(pattern or texture) with dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:23
S212	52	(pattern or texture) with dct and shape with adapt\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:25
S214	61	(pattern or texture) with adapt\$6 and shape with adapt\$6 with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:31
S213	6030	(pattern or texture) with adapt\$6 and shape with adapt\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:31
S217	49	(pattern or texture) and shape with adapt\$6 with transform\$5 and motion with vector	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:36
S216	111	(pattern or texture) and shape with adapt\$6 with transform\$5 and motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:36
S215	237	(pattern or texture) and shape with adapt\$6 with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:36
S218	25	(pattern or texture) and shape with adapt\$6 with transform\$5 and motion with vector and quantization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 14:37
S219	43	texture with adaptive with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:18

S220	21	texture near4 adapt \$4 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:20
S221	148	pattern near4 adapt \$4 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:21
S223	148	pattern near4 adapt \$4 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:22
S222	80	pattern near4 adapt \$4 with transform \$5 and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:22
S224	69	pattern near4 adapt \$4 near5 transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:24
S227	21	adaptive adj2 transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:29
S226	81	adapt\$4 adj2 transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:29
S225	7919	adapt\$4 adj2 transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:29
S228	10	adaptive adj2 transform\$5 with texture	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:31
S229	15	adaptive adj5 transform\$5 with texture	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/10 15:32

S230	2	"5990956".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:19
S231	2	"5714950".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:22
S232	545	pattern with adapt \$5 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:28
S233	21	pattern near2 adapt \$5 near2 transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:29
S234	78	pattern near2 adapt \$5 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:33
S236	28	adaptive near2 transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:38
S235	134	adapt\$5 near2 transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:38
S239	260	adaptive near2 transform\$5 and pattern with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:40
S238	0	adaptive near2 transform\$5 and pattern with imagr	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:40
S237	1151	adaptive near2 transform\$5 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:40

S241	266463	pattern with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:41
S240	14	adaptive near2 transform\$5 same pattern with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:41
S244	23	pattern with image with transform\$5 near2 adapt\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:42
S243	125	pattern with image with transform\$5 with adapt\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:42
S242	5948	pattern with image with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:42
S246	657	pattern with image with inherent\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:44
S245	5948	pattern with image with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:44
S247	19	pattern with image with inherent\$4 with human	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:45
S250	247	pattern with transform\$5 and arbitrar\$4 with shape\$4 same transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:47
S249	816	pattern with transform\$5 and arbitrar\$4 with shape\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:47

S248	34843	pattern with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:47
S251	30	pattern with transform\$5 and arbitrar\$4 with shape\$4 same transform\$5 and adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:48
S252	8215	adaptive with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:51
S253	148	adaptive with transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:53
S254	54	adaptive near4 transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 09:56
S255	2	"5714950".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:07
S258	12	pattern near2 adaptive with transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:20
S257	1683	pattern near2 adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:20
S256	7213	pattern with adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:20
S259	17	pattern near2 adaptive with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:21

S261	134	pattern with adapt \$5 near2 transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:22
S260	78	pattern near2 adapt \$5 with transform \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:22
S262	170	pattern with (adapt \$5 or adjusting or adjust) near2 transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:44
S264	32	dct with adaptive with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:47
S263	1399	dct with adaptive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:47
S265	1	"6233279".pn.	USPAT	OR	OFF	2010/05/12 10:54
S266	8	shaped with adaptive with dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:58
S267	8	shaped with adaptive with dct and (boundary or border or edge or contour)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 10:59
S268	4	shaped with adaptive with dct and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 11:07
S269	2	"5367629".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 11:28

S270	2	"5990956".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 11:30
S271	2	"5737718".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 11:32
S272	32	shape near2 adaptive same pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:07
S274	105394	pattern with image and shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:09
S273	266463	pattern with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:09
S278	123	pattern with image with shape and transform\$5 with dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:10
S277	3268	pattern with image with shape and transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:10
S276	14559	pattern with image with shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:10
S275	4868691	pattern with imagewith shape	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:10
S281	68	pattern with image with shape with definition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:11

S280	741	pattern with image with shape with defin\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:11
S279	2	pattern with image with shape with defin\$5 and transform\$5 with dct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:11
S282	14	adaptive near3 transform\$5 near3 pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:24
S284	7	(adapt or adapting) near3 transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:25
S283	1	(adapt or adapting) near3 transform\$5 near3 pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:25
S285	62	(adapt or adapting or adaptive\$2) near3 transform\$5 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/12 12:26
S289	8	((prakash near2 adityo) or (ratner near2 edward) or (antsos near2 dimitri)).in. and adaptiv\$4 with transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:06
S288	18	((prakash near2 adityo) or (ratner near2 edward) or (antsos near2 dimitri)).in. and adaptiv\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:06
S287	0	((prakash near2 adityo) or (ratner near2 edward) or (antsos near2 dimitri)).in. and adpativ\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:06

S286	97	((prakash near2 adityo) or (ratner near2 edward) or (antsos near2 dimitri)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:06
S292	2	((prakash near2 adityo) or (ratner near2 edward) or (antsos near2 dimitri)).in. and transform\$6 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:07
S291	35	((prakash near2 adityo) or (ratner near2 edward) or (antsos near2 dimitri)).in. and transform\$6 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:07
S290	1	((prakash near2 adityo) or (ratner near2 edward) or (antsos near2 dimitri)).in. and adaptiv\$4 with transform\$6 and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 10:07
L5	45	382/239.ccls. and adaptiv\$6 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:30
L4	1628	382/239.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:30
L8	153	382/302.ccls. and pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:39
L7	5	382/302.ccls. and adaptiv\$6 with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:39
L6	279	382/302.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:39

L9	25	382/302.ccls. and pattern with transform\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:40
L10	16	382/302.ccls. and pattern with transform\$5 and transform\$4 with (edge or contour or line or outline)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:41
L11	7	382/302.ccls. and pattern with transform\$5 and transform\$4 with (edge or contour or line or outline) and adapt\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:42
L12	704	pattern with transform\$5 and transform\$4 with (edge or contour or line or outline) and (adapt\$6 with transform\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:43
L13	47	pattern with transform\$5 and transform\$4 with (edge or contour or line or outline) and (adapt\$6 with transform\$5) with (edge or contour or border or boundar \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:44
L15	22	pattern with transform\$5 and transform\$4 with (edge or contour or line or outline) and (adapt\$6 with transform\$5) with (edge or contour or border or boundar \$4) with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:45

L14	2	pattern with transform\$5 and transform\$4 with (edge or contour or line or outline) and (adapt with transform\$5) with (edge or contour or border or boundar \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:45
L16	455	382/302,303.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:49
L17	13	382/302,303.ccls. and pattern with transform\$5 and transform\$4 with (edge or contour or line or outline) and adapt\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/17 11:50

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S293	3740	(transform\$6 with pattern).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/17 10:08
S295	30	(transform\$6 with pattern with adaptiv \$6).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/17 10:16
S294	497	(transform\$6 with pattern and adapt \$6).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/17 10:16
L1	30	(transform\$6 with pattern with adaptiv \$6).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/17 11:26
L3	45	382/239.ccls. and adaptiv\$6 with pattern	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/17 11:30
L2	1627	382/239.ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/17 11:30

5/ 17/ 2010 12:02:42 PM

C:\ Documents and Settings\ Drosariovasquez\ My Documents\ EAST\ Workspaces\ 10 Series \ 10032394\ search.wsp